CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: CKSHD LLC
105 Akron dr
Wiston Salem NC 27105

Batch #: 072524

Laboratory Number: ATL-22913

Report Issue Date: 7/25/2024

Order Date: 7/24/2024

Analysis Date: 7/25/2024

Sample Description:

Flower - Apples and Bananas

Unit Weight: 1g / Flower

Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/flower	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	123.700	12.370
CBG-A	<0.008	5.940	0.594
CBG	<0.007	0.570	0.057
CBD	<0.008	6.140	0.614
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/flower	%
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	1.070	0.107
CBN	<0.011	N/D	N/D
D9-THC	<0.014	2.660	0.266
D8-THC	<0.005	N/D	N/D
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/flower	%
CBC	<0.009	0.690	0.069
CBC-A	<0.005	6.640	0.664
THC-A	<0.005	228.500	22.850

	mg/flower	%
Max Active THC	203.05	20.31
Max Active CBD	114.62	11.46
Total Active Cannabinoids	330.91	33.09
Total Cannabinoids	375.91	37.59

NOTES

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD) Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC) 9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
(954) 515 - 0200
info@accuratetestlab.com