CERTIFICATE OF ANALYSIS

ACCURATE TEST LAB

Customer: CKSHD LLC
105 Akron dr
Wiston Salem NC 27105

Batch #: 072524

Laboratory Number: ATL-22910

Report Issue Date: 7/25/2024

Order Date: 7/24/2024

Analysis Date: 7/25/2024

Sample Description:

Flower - Laughing Gas

Unit Weight: 1g / Flower

Extraction Technician: LL

Analytical Chemist: LL

Kim Dang
Laboratory Manager

CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/flower	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	122.230	12.223
CBG-A	<0.008	6.000	0.600
CBG	<0.007	0.570	0.057
CBD	<0.008	6.510	0.651
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/flower	%
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	1.210	0.121
CBN	<0.011	N/D	N/D
D9-THC	<0.014	2.920	0.292
D8-THC	<0.005	N/D	N/D
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/flower	%
CBC	<0.009	0.710	0.071
CBC-A	<0.005	6.500	0.650
THC-A	<0.005	250.390	25.039

	mg/flower	%
Max Active THC	222.51	22.25
Max Active CBD	113.71	11.37

	mg/flower	%
Total Active Cannabinoids	349.52	34.95
Total Cannabinoids	397.04	39.70

NOTES

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD) Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9- Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC) 9S-Delta-10- Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA)

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines.
The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.
Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.
N/D: Not Detected LOQ: Limit of quantification
Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

Accurate Test Lab, LLC 1305 NW 65th Pl, Fort Lauderdale FL, 33309 USA.
(954) 515 - 0200
info@accuratetestlab.com